



HIMALAYAN POWER MACHINE MFG. CO.

Part of Khasra No. 51 and 52 Ka, Village Kuanwala, Haridwar Road, Dehradun,
Uttarakhand – 248001

Phone No.: +91-9412052496

Email: hpmgenset@gmail.com

Specification Sheet For Model GE 4000 Ri / GE4000 RSi



		Model Name	GE 4000 Ri / GE4000 RSi
Generator	Special Highlight		<ul style="list-style-type: none"> This is a very Light Weight & Powerful Portable Petrol Generator. Option to run on LPG Fuel available. Suitable to run Air Conditioners, Submersible Pump, Deep Freezers, Inductive & Motor Loads. Pure sine wave & THD<5%, Suitable for sensitive electronic equipments. Ability to withstand high over loading capacity.
	Application		<ul style="list-style-type: none"> Very much Suitable for Domestic, Institutional, Field jobs, Industrial & Commercial Use, Light and Medium Loads & ability for Overloading.
	Max AC. Output VA		3800
	Rated AC. Output VA		3500
	Rated Current Amps		15.3
	NFB Amps		16
	AC. Voltage at Rated Load		220 Volts \pm 10 Volt 50 Hz, Single Phase
	AC. Voltage at No Load		250 Volts \pm 5 Volt
Alternator	#Alternator Max. Current Capacity		32 Amps.
	Alternator		Brushless, Rare Earth Magnetic Rotor, THD 5 %, Pure Sine Wave
Engine	Model		HM170P
	Type		OHV25°Inclined, single cylinder, 4 strokes, S.I, Forced air cooling



HIMALAYAN POWER MACHINE MFG. CO.

Part of Khasra No. 51 and 52 Ka, Village Kuanwala, Haridwar Road, Dehradun,
Uttarakhand – 248001

Phone No.: +91-9412052496

Email: hpmgenset@gmail.com

	Maximum Power	6.5 HP @ 3600
	Bore x Stroke	70x58 mm
	Displacement	223cc
	Starting System	Recoil Start + Self Start
	Fuel	Petrol + LPG (Optional)
	Fuel Tank Capacity	Petrol -20.5 Ltr.
	Fuel Consumption at rated Load	Petrol 1.5 ltr/hr, LPG: 800 gm./hr
	Continues Running (With One Filling)	14 Hrs.
	Lube. Oil Capacity	600 ml.
	Lubricating Oil Consumption	2.5 gm./Hr.
	Sound level (Db) (from 1 meter)	<72Db
Panel & Other Standard Features	Voltmeter	Analogue
	Digital Hour Meter	Optional
	Oil Alert System	Yes
	LPG/ Gas Fuel Compatibility	Yes
	AMF Panel Auto & Remote Start Compatibility	Optional
	Fuel Level Gauge	Yes
	Overload Protection (NFB)	Yes
	Costar Wheels	Yes
	Gross weight-KG (with Battery)	67 KG (Recoil Start) / 72 KG (Self Start)
Size & Weight	Dimension LxWxH (mm)	780 mm X 520 mm X 610 mm
	Battery Specification	12 Volt 9 Ah Size =135×75×140 (L×W×H)

Specifications are for reference only, Because of continuous improvements and up-gradation by our R&D team. This specifications can change without any prior intimation